



→ Whenever browser give the error message like “Unable to Load Client Print Control” or “ Download ActiveX Control”, following Settings in Browser are mendetary.

1)




- Internet Protected mode should be OFF always. If it is ON then double click on that and uncheck the enable protected mode and press ok. After any changes it is mandatory to restart Internet Explorer.

2)




Open Internet Explorer -> Click on Tools -> Click on Internet Options

3)




In Internet Options -> Privacy -> make Uncheck Turn on Pop-Up Blocker.

4)



In Internet Options ->Security ->make uncheck enable protected Mode ->click on Custom Level.

5)



In Internet Option -> Security -> Custom Level -> Scroll vertically(Down).

In Active X Controls and plug-ins

- 1) Allow Scripts -> **make it enable**
- 2) Automatic Prompting for Active X Controls -> **make it enable**
- 3) Binary and script behaviours -> **make it enable**
- 4) Download unsigned Active X Controls(Not Secure) -> **enable(not secure)**
- 5) Initialize and script Active X Controls not mark as a safe for scripting(Not Secure) -> **enable(not secure)**
- 6) Run Active X Controls and Plug-ins -> **enable**

After then Scroll down up to Miscellaneous.

In Miscellaneous

- 1) Access data sources across domains -> **make it enable**
- 2) Allow Scripting of Microsoft Web Browser Control -> **make it enable**
- 3) Use Pop-Up Blocker -> **make it Disable**

After then scroll down up to Scripting.


In Scripting

- 1) Active Scripting -> **Make it Enable**
- 2) Scripting of Java Applets -> **Make it Enable**

After that click on ok button. System will ask you below message. You have to click on YES.



Once you click on YES. In Internet Explorer one message will come in yellow colour at TOP.



Press Right Click on message and click on Fix settings for Me.....

Once you click on Fix Setting then System will give you below message.



Click on **Fix Setting**.

After Completed this all settings it is mandatory to restart Internet Explorer.

Important Note :-

- 1) It is Mandatory that user should have All Administrative rights.**
- 2) Browser must be Internet Explorer 6,7,8,9.**
- 3) OS must be Windows Xp, Windows 7.**